

Appl. No. 10/075,326
Attorney Docket No. CM2502
Amendment dated January 28, 2004
Response to First Office Action of September 29, 2004
Customer No. 27752

AMENDMENTS TO THE CLAIMS

This listing of claims replaces all prior versions and listings of the claims in the application.

Listing of the Claims:

Claim 1 (Currently Amended): A container comprising an interior area for housing a plurality of vertically stacked substrates, the container further comprising a top and bottom side walls opposing each other, front and back side walls opposing each other and left and right side walls opposing each other and a dispensing opening, wherein the angle between the front side wall and the bottom side wall is greater than 90° but less than 180° and the dispensing opening is located in the top side wall or the front side wall or on the intersection between the top side wall and the front side wall, and wherein the container comprises a substrate-dispensing aid ~~comprising the bottom side wall, the bottom side wall is inclined from the front side wall to the back side wall of the container~~ adapted to bias a plurality of vertically stacked substrates toward the front side wall to assist in positioning an edge of a substrate adjacent the dispensing opening.

Claim 2 (Previously Presented): The container according to claim 1 wherein the angle between the front side wall and the bottom side wall is between 95° and 130°.

Claim 3 (Previously Presented): The container according to claim 1 wherein the angle between the front side wall and the bottom side wall is between 95° and 115°.

Claim 4 (Previously Presented): The container according to claim 1 wherein the container comprises a single piece of material.

Claim 5 (Canceled)

Claim 6 (Canceled)

Claim 7 (Canceled)

Claim 8 (Canceled)

Claim 9 (Previously Presented): The container according to claim 1 wherein the dispensing opening is located on the intersection between the top side wall and front side wall.

Claim 10 (Previously Presented): The container according to claim 9 wherein the dispensing opening further extends vertically downward toward the intersection of the front side wall and bottom side wall.

Appl. No. 10/075,326
Attorney Docket No. CM2502
Amendment dated January 28, 2004
Response to First Office Action of September 29, 2004
Customer No. 27752

Claim 11 (Canceled)

Claim 12 (Canceled)

Claim 13 (Previously Presented): The container according to claim 1 comprising a substrate holder adapted for storing dispensed substrate between uses.

Claim 14 (Previously Presented): The container according to claim 13 wherein the holder is located on the left side wall or right side wall of the container.

Claim 15 (Canceled)

Claim 16 (Currently Amended): A container comprising an interior area for housing a plurality of vertically stacked substrates, the container further comprising top and bottom side walls opposing each other, front and back side walls opposing each other and left and right side walls opposing each other and a dispensing opening, wherein the angle between the front side wall and the bottom side wall is greater than 90° but less than 180° and the dispensing opening is located in the top side wall or the front side wall or on the intersection between the top side wall and the front side wall, and wherein the container further comprises a substrate-dispensing aid, ~~the substrate-dispensing aid comprises a second false bottom side wall on the inside of the container which is inclined from the front side wall to the back side wall of the container~~ adapted to bias a plurality of vertically stacked substrates toward the front side wall to assist in positioning an edge of a substrate adjacent the dispensing opening.

Claim 17 (Withdrawn): A container according to claim 16, wherein the bottom support portion is included in a spring.

Claim 18 (Withdrawn): A container according to claim 17, wherein the spring is adapted to assist in changing the angle of inclination of the bottom support portion depending on the number of substrates housed within the interior area of the container.

Claim 19 (Withdrawn): A container according to claim 17, wherein the spring includes an extension member adapted to engage a face of a substrate to bias a plurality of substrates toward the front side wall.

Claim 20 (Withdrawn): A container according to claim 19, wherein the spring comprises a length of material in a Z-shape.

Appl. No. 10/075,326
Attorney Docket No. CM2502
Amendment dated January 28, 2004
Response to First Office Action of September 29, 2004
Customer No. 27752

Claim 21 (Withdrawn): A container according to claim 20, wherein the spring is attached to a portion of the container at a location adjacent a corner between the bottom side wall and the back side wall.

Claim 22 (Withdrawn): A container according to claim 19, wherein the extension member is resilient, and wherein the resilience of the extension member is adapted to maintain engagement of the extension member with a face of a substrate if a number of substrates housed within the interior area of the container changes.

Claim 23 (Withdrawn): A container according to claim 17, wherein a first end of the spring is attached to a portion of the container at a location adjacent a corner between the top side wall and the back side wall and wherein a second end of the spring is adapted to traverse along the bottom side wall in a direction from the back side wall toward the front side wall if the number of substrates housed within the interior area of the container changes.

Claim 24 (Withdrawn): A container according to claim 23, wherein the spring includes an extension member adapted to engage a face of a substrate.

Claim 25 (Withdrawn): A container according to claim 24, wherein the extension member is resilient, and wherein the resilience of the extension member is adapted to facilitate engagement between the extension member and a face of a substrate if the number of substrates housed within the interior area of the container changes.

Claim 26 (Withdrawn): A container according to claim 24, wherein the extension member extends away from a portion of the spring at a location between the first end and the second end of the spring.

Claim 27 (Canceled)

Claim 28 (Previously Presented): The container according to claim 27 16 wherein the material from which the container is made is selected from cardboard, moisture protected cardboard, plastic or mixtures thereof.

Claim 29 (Previously Presented): The container according to claim 28 wherein the container is made from moisture protected cardboard which has been treated with a moisture protective barrier.

Claim 30 (Previously Presented): A The container according to claim 28 wherein the container is made from plastic.

Claim 31 (Canceled)

Appl. No. 10/075,326
Attorney Docket No. CM2502
Amendment dated January 28, 2004
Response to First Office Action of September 29, 2004
Customer No. 27752

Claim 32 (Canceled)

Claim 33 (Currently Amended): A product comprising a container and a plurality of vertically stacked substrates housed within an interior area of the container, each substrate comprises a front side wall-facing face and an opposed face and an edge surrounding a perimeter of the faces, the edge comprises an uppermost edge portion and an opposed edge portion, the container comprises top and bottom side walls opposing each other, front and back side walls opposing each other and left and right side walls opposing each other and a dispensing opening, wherein the bottom side wall is substantially horizontal, wherein the container comprises a false bottom side wall on the inside of the container which is inclined from the front to the back of the container, wherein the angle between the front side wall and the false bottom side wall is greater than 90° but less than 180° and the dispensing opening is located in the top side wall or the front side wall or on the intersection between the top side wall and the front side wall, wherein the front side wall-facing face of each vertically stacked substrate faces toward the front side wall and the opposed face of each vertically stacked substrate faces toward the back side wall, wherein the uppermost edge portion of at least one of the plurality of vertically stacked substrates is positioned adjacent the dispensing opening, and wherein the second false bottom side wall is inclined from the front side wall to the back side wall of the container to bias a plurality of vertically stacked substrates toward the front side wall to assist in positioning the uppermost edge of a substrate adjacent the dispensing opening.

Claim 34 (Previously Presented): The product according to claim 33 wherein the bottom side wall of the container includes a length defined between the front side wall and the rear side wall of the container, wherein the length of the bottom side wall is less than a height of the substrate.

Claim 35 (Previously Presented): The product according to claim 33 wherein the material from which the container is made is selected from cardboard, moisture protected cardboard, plastic or mixtures thereof.

Claim 36 (Previously Presented): The product according to claim 35 wherein the container is made from moisture protected cardboard which has been treated with a moisture protective barrier.

Claim 37 (Previously Presented): The product according to claim 35 wherein the container is made from plastic.

Claim 38 (Previously Presented): The product according to claim 33 wherein the angle between the front side wall and the bottom side wall of the container is between 95° and 130°.

Appl. No. 10/075,326
Attorney Docket No. CM2502
Amendment dated January 28, 2004
Response to First Office Action of September 29, 2004
Customer No. 27752

Claim 39 (Previously Presented): The product according to claim 38 wherein the angle between the front side wall and the bottom side wall of the container is between 95° and 115°.

Claim 40 (Previously Presented): The product according to claim 33 wherein the container comprises a single piece of material.

Claim 41 (Previously Presented): The container according to claim 1 wherein the bottom side wall of the container includes a length defined between the front side wall and the rear side wall of the container, wherein the length of the bottom side wall is less than a height of the substrate.